

PERFECT HALF SPACE GAMES

THOMAS COLCOMBET, MARCIN JURDZIŃSKI, RANKO LAZIĆ,
AND SYLVAIN SCHMITZ

A d -dimensional energy game [4, 11] sees two players compete in a finite game graph, whose edges are decorated with vectors of weights in \mathbb{Z}^d . The d weights represent various discrete resources that can be consumed or replenished by the actions of the game. The objective of Player 1, given an initial credit in \mathbb{N}^d , is to play indefinitely without depleting any of the resources—more precisely to keep the current sum of encountered weights plus initial credit non-negative in every dimension—while Player 2 attempts to foil this. The primary motivation for these games is controller synthesis for resource-sensitive reactive systems, where they are also closely related to multi-dimensional mean-payoff games—and actually equivalent if finite-memory strategies are sought for the latter [11, Lemma 6]. But they appear in diverse settings: for example, in process algebra, they are equivalent to the simulation problem between a finite state system and a Petri net or a basic parallel process [8, Propositions 6.2 and 6.4]; in artificial intelligence, they allow to solve the model-checking problem for the resource-bounded logic $\text{RB}\pm\text{ATL}$ [3, 2].

The algorithmic issues surrounding multi-dimensional energy games have come under considerable scrutiny. Deciding whether there exists an initial credit that would allow Player 1 to win is coNP -complete [11, Theorem 3], while the complexity when the initial credit is given as part of the input becomes 2-EXPTIME -complete [8, 10]. Finally, both decision problems are in pseudo-polynomial time when d is fixed [10].

Open Questions. However, these recent advances do not settle the case of multi-dimensional energy parity games [5], where Player 1 must ensure that, in addition to the quantitative energy objective (specifying resource consumption and replenishment), she also complies with a qualitative ω -regular objective in the form of a parity condition (specifying functional requirements). These games with arbitrary initial credit are still coNP -complete as a consequence of [5, Lemma 4]. With given initial credit, they were first proven decidable by Abdulla, Mayr, Sangnier, and Sproston [1], and used to decide both the model-checking problem for a suitable fragment of the μ -calculus against Petri net executions and the *weak* simulation problem between a finite state system and a Petri net; they also allow to decide the model-checking problem for the resource logic $\text{RB}\pm\text{ATL}^*$ [2]. As shown by Jančar [9], d -dimensional energy games using $2p$ priorities can be reduced

Full version available from arXiv at <https://arxiv.org/abs/1704.05626>, to appear in the proceedings of LICS 2017. Work funded in part by the EPSRC grants EP/M011801/1 and EP/P020992/1, and the ERC grant 259454 (GALE). The authors thank Joël Ouaknine and Prakash Panangaden for organising and hosting the Infinite-State Systems workshop at Bellairs Research Institute in March 2015, where this work started.

to ‘extended’ multi-dimensional energy games of dimension $d' \stackrel{\text{def}}{=} d + p$, with complexity upper bounds shown earlier by Brázdil, Jančar, and Kučera [4] to be in $(d' - 1)$ -EXPTIME when $d' \geq 2$ is fixed, and in TOWER when d' is part of the input, leaving a substantial complexity gap with the 2-EXPTIME-hardness shown in [8].

Contributions. We introduce *perfect half space games*, both

- as intermediate objects in a chain of reductions from multi-dimensional energy parity games to mean-payoff games, allowing us to derive new tight complexity upper bounds based on recent advances by Comin and Rizzi [7] on the complexity of mean-payoff games, and
- as a means to gain a deeper understanding of how winning strategies in energy games are structured.

More precisely, in perfect half-space games, positions are pairs: a vertex from a d -dimensional game graph as above, together with a d -dimensional *perfect half space*. The latter is a maximal salient blunt cone in \mathbb{Q}^d : a union of open half spaces of dimensions $d, d - 1, \dots, 1$, where each is contained in the boundary of the previous one. In these games, Player 1 may not change the current perfect half space, but Player 2 may change it arbitrarily at any move. However, the goal of Player 2 is to make the sums of encountered weights diverge in a direction which is consistent with the chosen perfect half spaces; thus the greater the dimension of the component open half spaces that Player 2 varies infinitely often, the harder it is for him to win. For example, with $d = 2$, if Player 2 eventually settles on the perfect half space that consists of the half plane $x < 0$ and the half line $x = 0 \wedge y < 0$, then he wins provided the sequence of total weights is such that either their x -coordinates diverge to $-\infty$, or their x -coordinates do not diverge to $+\infty$ and their y -coordinates diverge to $-\infty$; if however Player 2 switches between the two half lines of $x = 0$ infinitely often, then he can only win in the former manner.

Firstly, we show that perfect half space games can be easily translated to the *lexicographic energy games* of Colcombet and Niwiński [6]. The translation amounts to normalising the edge weights with respect to the current perfect half spaces, and inserting another d dimensions in which we encode appropriate penalties for Player 2 that are imposed whenever he changes the perfect half space. We deduce that perfect half space games are positionally determined, and moreover that Player 2 has winning strategies that are oblivious to the current perfect half space. Along the way, we provide a proof of the positional determinacy of lexicographic energy games, along with pseudo-polynomial complexity upper bounds for their decision problem when d is fixed, based on the recent results of Comin and Rizzi [7] for mean-payoff games.

Secondly, we establish that perfect half space games capture *bounding games*. The latter were central to obtaining the tight complexity upper bounds for multi-dimensional energy games [10]. They are played purely on the d -dimensional game graphs and have a simple winning condition: the goal of Player 1 is to keep the total absolute value of weights bounded (i.e., contained in some d -dimensional hypercube). One reading of this reduction

is that whenever Player 2 has a winning strategy in a bounding game, he has one that ‘announces’ at every move some perfect half space and succeeds in forcing the total weights to be unbounded in a direction consistent with the infinite sequence of his announcements. The proof is difficult, and relies on a construction from the previous paper [10] of a winning strategy for Player 1 in the bounding game given her winning strategy in a first-cycle game featuring perfect half spaces. Composing this with our complexity bounds for lexicographic energy games gives us a new approach to solving bounding games, improving the time complexity from the previously best $(|V| \cdot \|E\|)^{O(d^4)}$ [10, Corollary 3.2] to $(|V| \cdot \|E\|)^{O(d^3)}$, where V is the set of vertices and $\|E\|$ the maximal absolute value over the weights in the input multi-dimensional game graph.

Thirdly, building on Jančar’s reduction, we show how multi-dimensional energy parity games can be solved by means of bounding games. For the given initial credit problem, we obtain 2-EXPTIME-completeness, closing the aforementioned complexity gap. When the dimension d and the number of priorities $2p$ are fixed, we obtain that, for both arbitrary and given initial credits, the winner is decidable in pseudo-polynomial time. With arbitrary initial credit, our new bound $(|V| \cdot \|E\|)^{O((d+p)^3 \log(d+p))}$ improves when $p = 0$ over the previously best $(|V| \cdot \|E\|)^{O(d^4)}$ [10, Theorem 3.3].

REFERENCES

- [1] P. A. Abdulla, R. Mayr, A. Sangnier, and J. Sproston. Solving parity games on integer vectors. In *Concur 2013*, volume 8052 of *LNCS*, pages 106–120. Springer, 2013.
- [2] N. Alechina, N. Bulling, S. Demri, and B. Logan. On the complexity of resource-bounded logics. In *RP 2016*, volume 9899 of *LNCS*, pages 36–50. Springer, 2016.
- [3] N. Alechina, N. Bulling, B. Logan, and H. N. Nguyen. The virtues of idleness: A decidable fragment of resource agent logic. *Artif. Intell.*, 2017. to appear.
- [4] T. Brázdil, P. Jančar, and A. Kučera. Reachability games on extended vector addition systems with states. In *ICALP 2010*, volume 6199 of *LNCS*, pages 478–489. Springer, 2010. arXiv version available from <http://arxiv.org/abs/1002.2557>.
- [5] K. Chatterjee, M. Randour, and J.-F. Raskin. Strategy synthesis for multi-dimensional quantitative objectives. *Acta Inf.*, 51(3–4):129–163, 2014.
- [6] T. Colcombet and D. Niwiński. Lexicographic energy games. Manuscript, 2017.
- [7] C. Comin and R. Rizzi. Improved pseudo-polynomial bound for the value problem and optimal strategy synthesis in mean payoff games. *Algorithmica*, 2016. To appear.
- [8] J. Courtois and S. Schmitz. Alternating vector addition systems with states. In *MFCS 2014*, volume 8634 of *LNCS*, pages 220–231. Springer, 2014.
- [9] P. Jančar. On reachability-related games on vector addition systems with states. In *RP 2015*, volume 9328 of *LNCS*, pages 50–62. Springer, 2015.
- [10] M. Jurdziński, R. Lazić, and S. Schmitz. Fixed-dimensional energy games are in pseudo-polynomial time. In *ICALP 2015*, volume 9135 of *LNCS*, pages 260–272. Springer, 2015. arXiv version available from <https://arxiv.org/abs/1502.06875>.
- [11] Y. Velner, K. Chatterjee, L. Doyen, T. A. Henzinger, A. Rabinovich, and J. Raskin. The complexity of multi-mean-payoff and multi-energy games. *Inform. and Comput.*, 241:177–196, 2015.

IRIF, CNRS & UNIVERSITÉ PARIS-DIDEROT, FRANCE

DIMAP, DEPARTMENT OF COMPUTER SCIENCE, UNIVERSITY OF WARWICK, UK

LSV, ENS PARIS-SACLAY & CNRS & INRIA, FRANCE